floor of the City Building, 124 N. Michigan St., Plymouth, Indiana 6:00 p.m. on November 14, 2022. The meeting was held in the Council Chambers, on the second The Board of Public Works and Safety of Plymouth, Indiana, met in Regular Session at

hear the meeting through Microsoft Teams Gorski and Human Resources Manager Klingerman were present. The public was able to see and Culp, Jeff Houin, Shiloh Milner, and Bill Walters who were physically present. Clerk-Treasurer Mayor Senter called the meeting to order. Senter presided for Board Members Duane

motion carried regular session of the Board of Public Works and Safety meeting of October 24, 2022. Board Members Culp and Walters moved and seconded to approve the minutes of the

year. He states that he would like to ask for permission to offer one of those positions to Travis and they should be receiving that information this week so they can get started. He states that Christopher Todd and Keegan Holland, have their information down at the State Pension Board working the last two rounds and everything there is going great. He states that the other two states that with the last hires that they did, Austin Bragg, who is a Civilian Paramedic, has been the pension. He explains that he would like to promote Sidney Roda to a Full-Time status if they pool and would be ready to go. He adds that he would be the Civilian EMT. He states that the McVicker, who was interviewed along the other new hires. He explains that he was still in the with all that being said he has two more positions that still need hired in by the beginning of next would allow him to do that states that offer would be contingent on her physical, medical, and psychological evaluations for other would be a part-time paramedic who has been working with them for over a year now. He Fire Chief Holm wished to update the board on where they are with employment. He

Mayor Senter asks where she lives

month. He states that she is a seasoned paramedic and has done very well for the city so far. for Tri-County and she has been working for the city Part-Time pulling about 3-4 shifts Holm responds by stating that currently she lives in Knox. He states that she currently

of employment as Board Members Culp and Houin moved and seconded to approve the conditional offers presented. The motion carried

not go into effect until the first of the year wished to add that even though both of those are being offered now that they would

for their Holy Procession Walk. Jeanine Xaver was present to speak on the request Clerk-Treasurer Gorski presented the Street Closure Request from St. Michael's Parish

once approval is secured here that they will request help from the County Sherriff. Berkley Street, Polk Street, Jefferson Street, and Center Street as in years past. She states that Xaver states that they will start at the Knights of Columbus and work their way to

Houin asks for clarification that it is the same route as in prior years. Xaver agrees



Michael Catholic Church and School Plymouth, 19 46563 612 N Walnut St.

REQUEST FORM CITY OF PLYMOUTH

Date: October 25, 2022

Notice to BOARD OF WORKS, CITY OF PLYMOUTH, INDIANA

Kindly take care of the following request:

St. Michael Church will conduct a holy procession walk in honor of the Virgin Mary.

The walk will take place on December 11, 2022, and we ask for the permission to use the following streets from 11:00 a.m., to 12:00 pm, Berkley Street, Polk Street, East Jefferson Street and North Center Street.

Signed: Title: Pastor
Address: 612 N. Walnut St. Plymouth. IN 46563
Phone Number: 574-936-4935

Determination of requ

Approved by d of Public Works * Safety 011

Return original to Clerk-Treasurer's Office after determination is complete

presented. The motion carried. Board Members Houin and Milner moved and seconded to approve the request as

read aloud Works and Safety received a letter from the REES Theatre. The letter that is attached below was Clerk-Treasurer Gorski states that in the mail since the last meeting the Board of Public



Lenthheoram, and approval to more forward muth our levent. This is such a great community, elecyon we orks to flither and helpo make it all happen The REES Grand Rageony wote of confession.

Thank you!" Randy Donuelow Donna Pontuis Eleanor Bonielow Funda Stor Therey Huden Core Team

Register #2022-21. The motion carried. October 31, 2022, November 15, 2022 and claims for November 14, 2022, as entered in Claim Board Members Milner and Walters moved and seconded to allow the payroll for

Board Members Houin and Culp moved and seconded to accept the following

communications:

- November 14, 2022 Docket
- November 8, 2022 Technical Review Committee Minutes
- Plymouth Fire Department Activity Report October 2022
- Plymouth Water Department Activity Report October 2022
- Plymouth Wastewater Department Activity Report -- October 2022

Plymouth Police Department Activity Report -October 2022

The motion carried

adjourn, Senter declared the meeting adjourned at 6:06 p.m. There being no further business, Board Members Culp and Milner moved and seconded to

Lynn M. Gorski Clerk-Treasurer

APPROVED:

Mark Senter Mayor

PLYMOUTH POLICE DEPARTMENT

Activity Report Summary 2022

Code Enforcement

Type	an and	Foh	Mar	Anr	May	5	Ε	Aug	Sen	Oct	NOV	Dec	ULA
Tall Grass	0	0	0	0	30	12	5	18	1	1			67
Owner Complied	0	0	0	0	28	10	3	15	0	1			57
City Action (Mowed)	0	0	0	0	2	2	2	3	1	0			
Action Pending	0	0	0	0	0	0	0	0	0	0			
													1
Abandoned or Junk Vehicles	6	6	5	12	9	6	10	3	2	5			64
Owner Complied	6	6	5	12	6	6	00	3	1	5			58
City Action (Towed)	0	0	0	0	3	0	2	0	1	0			
Action Pending	0	0	0	0	0	0	0	0	0	0			
		Contraction		Section of the second	The state of the s		STATE OF THE PERSON SERVICES		Section Control	100000000000000000000000000000000000000			
Debris/Junk on Property	12	1	9	5	4	7	w	2	6	2			51
Owner Complied	12	1	7	5	2	7	2	2	5	1			44
City Action (Cleaned)	0	0	2	0	2	0	1	0	1	1			
Action Pending	0	0	0	0	0	0	0	0	0	0			
Fowl/I ivectock	0	0	0	0	0	0	0	0	0	0			
Owner Complied	0	0	0	0	0	0	0	0	0	0			
City Action	0	0	0	0	0	0	0	0	0	0			
Action Pending	0	0	0	0	0	0	0	0	0	0			

Signs in Public Right of Way (Removed)

PLYMOUTH POLICE DEPARTMENT

Activity Report Summary 2022

Туре	Jan	Feb	Mar	Apr	Mar Apr May Jun		Jul	Aug	Sep	Oct	Oct Nov Dec	Dec	OLA
All Calls for Service,										2			
Complaints, and													
Information received by												-	
Central Dispatch for PPD	914	676	775	751	877	794	816	908	903	756			8,170
Traffic Stops	136	114	201	148	328	179	119	71	84	140			1,520
Citations Issued	73	49	152	56	207	98	60	41	31	36			803
Accident Reports	32	23	33	35	29	38	29	36	53	30			338
Case Reports	87	66	86	95	88	89	79	119	91	87			887

PED

Departmental Activity Report

Current Period: 10/01/2022 to 10/31/2022, Frior Period: 01/01/2022 to 10/31/2022
00:00 to 24:00
All Stations
All Shifts
All Units

Fire Alarm Responses, ENS Alarm Responses, Training Classes, Activities (Mon-Incident), Equipt
Maint/Testing, Departmental Events

	Current Period	Period	Prior Period	riod
Category	Count	Staff Hrs	Count	Staff Hrs
Fire Alarm Situations				
Chemical release, reaction, or toxic condition	1-1	0.55	(JI	15.70
Citien complaint	0	0.00	ю	5.09
Combustible/flammable spills & leaks	ω	7.13	14	36.49
Dispatched and cancelled en route	17	27.07	(e)	609.35
Electrical wiring/equipment problem	0	0.00	o,	70.40
Emergency medical service (EMS) Incident	190	1,739.64	1,765	9,059.61
False alarm and false call, Other	cn	29.09	41	138.42
Fighe Ochen	0	0.00	uts	ນ ພ . ນ
Good intent call, Other	0	0.00	13	2.75
Harardous condition, Other	0	0.00	ω	3.79
Hankan release investigation w/no Hankan	0	0.00	1	0.40
Medical assist	0	0.00	48	78.64
Mobile property (wehicle) fire	0	0.00	4	148.25
Nadural Tegedadion Mine	ω	5.93	13	339.92
Outside nubbish fire	0	0.00	o	16.45
Public service assistance	to.	3.07	10	20.24
Rescue, emergency medical call (EMS), other	0	0.00	ы	0.80
Service call, Other	0	0.00	to.	1.40
Seriere Weather & Natural Disaster - Specified	0	0.00	ч	1.21
Smoke, odor problem	0	0.00	O4	52.60
Special type of incident, other	 -	. co	ы	
Steam, Other gas mistaken for smoke	0	0.00	ω	18.29
Sanna dine	H	10.14	15	145.50
System or detector malfunction	ω	3.47	ø	22.30
Unintentional system/detector operation (no fire)	0	0.84	o,	10.41
STROKE PLAKE	0	0.00	p.	1.27
Water problem	0	0.00	ω ω	22.81
	227	1,828.77	2,153	10,850.15
Training				
Hydrant Hook up	0	0.00	ts	3.00

Staff hours for Fire Alarm responses that have an associated EMS alarm record are considered shared hours. Shared hours are posted only with the EMS alarm responses to avoid duplication of staff hours in totals.

11/01/2022 08:40

-

PFD

Departmental Activity Report

Current Period: 10/01/2022 to 10/31/2022, Prior Period: 01/01/2022 to 10/31/2022

00:00 to 24:00

All Stations

All Shifts

All Units

	Curren	Current Period	Prior Period	eriod
Category	Count	Staff Hrs	Count	Staff Hrs
Training				
Active Shooter	0	0.00	<u>မ</u>	117.50
Advanced Med. Life Support	0	0.00	14	112.00
Atrway Management	0	0.00	(n	20.00
Attracy Skills	0	0.00	10	2.00
Aldernative Fuel	0	0.00	41	61.50
Ambulance Ops	0	0.00	(J)	3.50
Anaphylamis	0	0.00	12	8.00
Apparatus / Equipment		0.00	13	28.00
Apparatus Check Procedures	0	0.00	to	2.00
ASSIST CORONER	51	2.50	(Ji	2.50
audit and review	15	30.00	209	210.50
Autism Spectrum Disorder	0	0.00	1	1.00
Blood Bourne Pathogens	0	0.00	to 60	38.00
Cadamer Lab	0	0.00	ч	2.00
Cardiac	0	0.00	17	17.50
cardiomagular emergencies	-	2.50	⊢	2.50
Class Review	0	0.00	to ct	4.00
comid-19 online idha	0	0.00	щ	1.00
CPAP/NEB/ETCO2	0	0.00	to	1.00
CPR	0	0.00	(JI	11.50
CHR Recent	0	0.00		e4.00
o emenor a	15	15.00	15	15.00
Diabetics	0	0.00	ω ω	26.00
Documentation	0	0.00	27	51.00
Driving Apparatus & Pumping	0	0.00	01	14.00
Emergency Medical Responder	14	35.00	41	102.50
EMS Audio & Review	0	0.00	ω	1.50
EMS ECHO	0	0.00	(A	5.50
EMS Skills	0	0.00	<u>σ</u>	136.50
EMT-B	0	0.00	6.9	272.00
Epinephrine Administraton	0	0.00	to	1.00
MS O	0	0.00	O1	10.00

Staff hours for Fire Alarm responses that have an associated EMS alarm record are considered shared hours. Shared hours are posted only with the EMS alarm responses to avoid duplication of staff hours in totals.
 11/01/2022 08:40

Page

10

PFD

Departmental Activity Report

Current Period: 10/01/2022 to 10/31/2022, Prior Period: 01/01/2022 to 10/31/2022
00:00 to 24:00
All Stations
All Shifts
All Units

Category	Count	Staff Hrs	Count	Staff Hrs
Training				
MSO Software Reporting	0	0.00	(n	10.00
Manucharon 1	0	0.00	13 O	61.00
PE I-II	0	0.00	il.	42.50
ME I-II SKILLS	112	60.00	120	60.00
	0	0.00	to to	110.00
Fire Control, General	0	0.00	(JI	7.50
Fire Department Organication	o	0.00	Ó	6.00
Fire Instructor 1	do	4.00	,fs	4.00
Fire Search & Rescue	0	0.00	i i	4.00
Mind Control in the C	0	0.00	ts.	6.00
Forcible Entry	O	0.00	ч	3.00
Gas Pipe line Safety	0	0.00	ч	1.50
General Building Construction	0	0.00		3.00
Generalized Weakness	0	0.00	21	11.00
Grain Bin	0	0.00	d.	18.00
Gun shot wounds - trauma	0	0.00	H	0.50
Harmat Awareness and Operations	0	0.00	01	23.00
Read Emengencies		0.00	ct de	22.00
HIPAA	0	0.00	CO	8.00
House Head	0	0.00	37	74.00
Human Anacomy	0	0.00	di	4.00
Hee Rescure	0	0.00	13 60	69.00
HC8 800	Ó	0.00	ω	25.50
Enfants & Children	0	0.00	iti	4.00
Infection Control	0	0.00	ы	1.00
Instructor Training	0	0.00	7	17.00
Internal Controls	0	0.00	63	3.00
IV Kaintenance	0	0.00	4	0.50
Landing Zone Helicopter		0.00	37	74.00
Mandacory	0	0.00	to	3.00
MAYDAY	12 22	44.00	13	44.00
V? 7	0	0.00	55	361.00

^{*} Staff hours for Fire Alarm responses that have an associated EMS alarm record are considered shared hours. Shared hours are posted only with the EMS alarm responses to avoid duplication of staff hours in totals.

Page

PED

Departmental Activity Report

Current Period: 10/01/2022 to 10/31/2022, Prior Period: 01/01/2022 to 10/31/2022
00:00 to 24:00
All Stations
All Units

Training Classe, ng. Departmental -Incident), Equipt

	Current	Period	Prior Pe	Period
Category	Count	Staff Hrs	Count	Staff Hrs
Training				
Mega Code	O	0.00	to	1.00
NIMS MADATORY	0	0.00	13	5.00
Obudednicu		0.00	ω	12.00
10 11 11 11 11 11	0	0.00	:0 :0	176.00
Pachophysiology	0	0.00	(JI	20.00
Ped. Adv. Life Support	0	0.00	to	11.00
Pediadric Emergencies	0	0.00	to de	39.00
Pediatric Trauma	0	0.00	H	0.50
PEPP & PALS Hybrid Coarse	7	28.00	7	28.00
Personal Protective Equip.	to	1.00	20 60	37.00
Pharmacology	0	0.00	t2	42.00
20 M	0	0.00	H	4.00
Preplan	0	0.00	(A	7.50
Protocol Review	0	0.00	н	1.50
Protocol Test	10	1.00	14	12.00
Public Education	(JI	15.00	(Ji	15.00
Public Relactions	O1	21.00	39	156.50
Pump Operations	0	0.00	10	19.00
Respiratory Emergencies	0	0.00	7	14.00
Risk Managment	0	0.00	(o	4.00
Roofentilation	0	0.00	<u>ဗ</u>	69.00
Ropes & Knots	0	0.00	14	21.00
Safety in the Norkplace	•	0.00	ω	1.50
Se tinuite	0	0.00	10	12.00
3e 0 9 1 9	0	0.00	ω ω	26.00
91.0.9	0	0.00	16	31.00
Suicide Prevention	0	0.00	H	1.00
danker ops	0	0.00	13	4.00
Technical Rescue Awareness	0	0.00	13	2.00
Test and Skills	0	0.00	to	2.00
	0	0.00	ω	8.00
THE PERSON LOCALINA				

Staff hours for Fire Alarm responses that have an associated EMS alarm record are considered shared hours. Shared hours are posted only with the EMS alarm responses to avoid duplication of staff hours in totals.

11/01/2022 08:40

abra.

Departmental Activity Report

Current Period: 10/01/2022 to 10/31/2022, Prior Period: 01/01/2022 to 10/31/2022 00:00 to 24:00 All Stations

All Shifts
All Units
All Units
ENS Alarm Responses, Training Classes, Activities
Maint/Testing, Departmental Events (Non-Incident), Equipt

	Carrent	Carrent Lerron	STITUT SETTOR	STAGO
Category	Count	Staff Hrs	Count	Staff Hrs
Training				
Trauma in OB	0	0.00	11	11.00
Trauma Symposium	0	0.00	13	(0 မ မ
Victims of Abuse	0	0.00	ct 4.	28.00
Wol. EMS Bus. Mag		0.00	c) A	36.00
Wolunteer Fire Business Mag.	12 6	200	13	272.95
Water Supply	0	0.00	H	2.00
Neather Safety	0	0.00	ds	2.00
	138	to 60 11 10 60	1,535	3,632.79

CITY OF PLYMOUTH WASTEWATER DEPARTMENT Board of Public Works and Safety October 2022 Monthly Report

77.170	MOHULY avelage in Allunoma Iemoval
00 7%	Monthly avarage in Ammonia removal
97.4%	Monthly average in TSS removal
99.4%	Monthly average in BOD removal
3.97"	Rainfall
1,524,586	Average daily flow in gallons
47,262,180	Total flow in gallons

368 - Wastewater Treatment Plant

Work orders completed:

	V	*
project, currently waiting on parts.	Continuing work on the chemical feed system for phosphorus removal	Exercised 92 in piditi valves.

- Main breaker to the wastewater plant failed, requiring it to run for 2 days
- on the auxiliary generator.

 Winterizing the plant, repaired multiple heaters and installed heat tape in various locations.
- Fabricated and installed new catch pan on the north primary clarifier

- Replaced the packing sleeve on the anaerobic digester circulating pump.
 Replaced the refrigeration unit on automatic sampler.
 Influent and effluent meters were calibrated. We found that algae going in the channel was causing increased flow recording. Installed mats over the grating to prevent sunlight and eliminating algae from growing.
 Replaced pump/motor coupling on raw sewage pump #2.
 Leveled media at the WWTP bio-filter.
- Completed start-up of new natural/methane gas boiler. Serviced bio-roughing towers.

Vehicle/Mobile Equipment

- Replaced center deck bearing on E-4.
 Replaced fuel pump on extenda jet.
 Replaced hydraulic pump on backhoe E-32.

57 - Lift Stations

- Replaced broken wiring in control panel in the Pioneer Dr. lift station, caused be H2S corrosion.

 Completed draw downs on the Pioneer Dr. lift station as part of the ongoing odor study.

 Replaced control board on the Pioneer Dr. lift station controller (covered
- Contractor replaced discharge piping on both pumps at the Carriage Green
- lift station.

 Completed repairs on the radar level controller at the M.C. Jail lift station

6 - Collection System ➤ 0 - Eli

- Eliminated structures
- 0-Replaced structures
- 0- Repaired structure
- 2-Replaced / adjusted castings
 a. 16M207 and J7M359
 0-GIS data collection points
- 0-New structure
- 3 Point Repairs
 a. Storm lines STSP 1986 and STSP 1876
 b. 2000 Felix Pl. 8" culvert
 I Miscellaneous
 a. Installed tap for 801 Sycamore St. (SSP 382)

COLLECTION SYSTEM:

- Cleaned 25,199 feet of sewer lines.

 0 feet during service calls.

 25,199 feet during preventive maintenance.

 Televised 4,012 feet of sewer lines.

 Mechanically removed roots from 542 feet of sewer lines.

 Removed approximately 12.60 tons of silt and debris during cleaning and inspections of sewers lines.

 Used approximately 47,380 gallons of potable water during sewer cleaning.

 Performed routine maintenance on 10 CSO's and 17 pumping station.
- 6 5

MISCELLANEOUS

- Continuing inspection of the sanitary/storm sewer system in the Centennial Crossing project and starting to collect as-built information.

 Continuing to monitor the H2S in trunklines by Walmart and Pregis areas.

 Receiving hundreds of locate requests for the Surf Broadband project.

 Completed industrial wastewater discharge inspections at Zentis, Pretzel's Inc., RBC, Culver Tool and Engineering and Indiana Wheel.

 Six operators attended the Northern Indiana Operator Association (NIOA) meeting held here in Plymouth on October 12, 2022.

 Winterized the 6th St. odor unit (bio-filter).

CITY OF PLYMOUTH WATER DEPARTMENT Board of Public Works and Safety October 2022 Monthly Report

PLANT OPERATIONS

Water Treated - Ledyard Water Treatment Plant Water Treated - Pine Water Treatment Plant Water Treated - Total

22,495,178 gallons 17,316,996 gallons 39,812,174 gallons

Water Treated – Daily Average – Ledyard Water Treatment Plant Water Treated – Daily Average – Pine Water Treatment Plant Water Treated – Daily Average – Combined

725,651 gallons 558,613 gallons 1,284,264 gallons

- Backwashed filters at Ledyard Water Treatm ent Plant 8 times for a total of 672,000
- gallons.

 Backwashed filters at Pine Water Treatment Plant 13 times for a total of 1,248,000
- gallons. Total backwash usage for the month was 1,920,000 gallons

MAINTENANCE WORK ORDERS COMPLETED

- 25- Ledvard Water Treatment Plant Maintenance
 Completed auxiliary generator test.
 Completed temperature checks on high service pumps.
 Cleaned and inspected chlorine injectors.
 Inspected both water towers.
 Winterizing plant and water towers.
 Installed well enclosures
- Repaired numerous heaters.
 Peerless Midwest completed inspection of wells, high service p

- 20 Pine Water Treatment Plant Maintenance
 Completed auxiliary generator test.
 Completed temperature checks on high service pump
 Cleaned and calibrated chlorine analyzer.
 Cleaned chlorine injector.
 Winterizing plant.
 Repaired numerous heaters.
 Peerless Midwest completed inspection of wells, high of wells, high

- 10 Mobile Equipment

 General preventative maintena

 W-2 backhoe

WATER SAMPLING

- 50

- 284 Distribution system bacteria samples, IDEM required
 Distribution system chlorine residual samples, IDEM required
 Fluoride samples, ISDH required
 Process control samples and analysis at the Ledyard Water Treatment Plant
 include Ferrous Iron, Total Iron, Manganese, and Chlorine
 Process control samples and analysis at the Pine Water Treatment Plant Samples
 Includes Ferrous Iron, Total Iron, Manganese and Chlorine

- O THM's Sets.
 O HAA5's Sets.
 O VOC's sets.
 2 SOC/2nd Annual I for each plant sets.
- Radionuclide
 IOC- Metals-Radon
 Lead & Copper Samples
 Nitrate/Sampling for each Plant (sets)

SERVICE

CONSTRUCTION ACTIVITIES

- 3 Curb Stops Repaired / Replaced / Installed
 10-24-2022 801 Sycamore St.- Installed new 3/4" curb stop & added a meter pit to
- 9 Old Curb Stops Located / Capped Off at Valves
- 9

New Taps Installed 10-13-2022 1257 B 10-13-2022 1259 B 1257 Baker St. - New 1" Tap with meter pit. 1259 Baker St. - New 1" Tap with meter pit.

```
10-18-2022
10-18-2022
10-19-2022
10-19-2022
10-20-2022
1201 Baker St. – New 1" Tap with meter pit.
1221 Baker St. – New 1" Tap with meter pit.
11113 Baker St. – New 1" Tap with meter pit.
11113 Baker St. – New 1" Tap with meter pit.
1111 Baker St. – New 1" Tap with meter pit.
```

9 **New Mains Completed**

3 Valves / Valve Boxes / Repaired / Replaced / Installed 10-14-2022 Gray St. & Sycamore St – Repaired valve (H7V015). 10-14-2022 Sycamore St. – Repaired 3 valve boxes hit by asphalt miller. 10-17-2022 1617 W. Lake Ave.- Removed debris in box.

3 Hydrants Repaired / Replaced / Installed / Serviced / Painted 10-27-2022 Commerce Dr. - (HYD401) Replaced bottom break flange.

9 Valve Exercised

3 Main Breaks and Leaks Repaired 10-20-2022 2007 Felix PL- Repaired leak at corporation stop.

3 Service Lines / New/ Repaired

harad in under street		
1108 Sycamore StInstalled new 3/4" service line, curb stop, box & rod	10-05-2022	
bored in under street.		
1112 Sycamore StInstalled new 1/2" service line, curb stop, box & rod	10-04-2022	
bored in under street.		
1116 Sycamore StInstalled new 1/2" service line, curb stop, box & rod	10-04-2022	
bored in under street.		
1110 Sycamore StInstalled new 3/4" service line, curb stop, box & rod	10-03-2022	

MISCELLANEOUS

- GIS data collection.

 Locating hundreds of utilities locate requests from Surf Wireless for the design of the fiber system throughout the city.

 Collecting as-built information for Centennial Crossing development.

 Completed hydrostatic and bacteria testing at Plymouth Moldings and Renewal by Anderson sites.

 Started the annual fire hydrant maintenance program.

- application.

 One employee started his 4-week CDL drivers training course on 10-17-22.

 One employee attended EPA sponsored Unregulated Contaminant Monitoring Rule (UCMR 5) training on 10-26-22.